**OUT OF STOCK** 

# PowerLite 1266 Wireless WXGA 3LCD Projector

Contact Us 800.463.7766

Mon-Fri 7am-4pm PT



## Widescreen, wireless portable HD projector with WXGA resolution and MHL.

Featuring enhanced setup and broad connectivity options, the PowerLite 1266 wireless portable projector offers reliable, powerful performance. Delivering 3,600 lumens of color/white brightness<sup>1</sup>, the 1266 achieves more accurate, vivid color, even in well-lit rooms. Widescreen WXGA resolution (1280 x 800) and advanced wired and wireless support — including MHL<sup>®2</sup> and HDMI<sup>®</sup> — allow users to project HD-quality presentations from laptops, mobile and streaming devices<sup>3</sup>. Plus, Epson<sup>®</sup> 3LCD projectors deliver remarkable color accuracy, with high Color Brightness\* and wide Color Gamut<sup>4</sup>.

**Projection System**: 3LCD, 3-chip technology **Native Resolution**: 1280 x 800 (WXGA)

Color Brightness: 3600 lumens<sup>1</sup> White Brightness: 3600 lumens<sup>1</sup>

Throw Distance Calculator

Model: V11H845120

OUR PRICE:

\$649.00



#### Overview

#### Bright and Colorful

Features 3600 lumens of color brightness (color light output)<sup>1</sup> and 3600 lumens of white brightness (white light output)<sup>1</sup>.

#### **WXGA Resolution**

1280 x 800 HD widescreen resolution

#### Wireless Ready

Built-in wireless for easy connectivity

#### Portable

Lightweight and easy to carry; perfect for travel or to quickly move from room to room

## Manual Keystone

#### Correction

Adjusts vertically and horizontally to easily achieve a perfect rectangular image.

- More accurate, vivid color, even in well-lit rooms 3,600 lumens of equal color and white brightness<sup>1</sup>
- WXGA resolution (1280 x 800) for HD-quality presentations; plus an array of connectivity options
- Wireless project from your laptop, tablet, or smartphone<sup>3</sup> without plugging into the projector, so you can move freely about the room
- Remarkable color accuracy High Color Brightness and wide Color Gamut<sup>4</sup> with Epson
- Share HD video directly from smartphones, tablets or streaming devices supports MHL-enabled devices<sup>2</sup> for mirroring and charging<sup>5</sup>
- Fast wireless setup for your mobile device just scan the on-screen QR code using your phone or tablet
- Fast, easy setup with Epson get up and running in no time with easy image adjustments and convenient control
- Works with the latest laptops and media players supports HDMI, the standard in connectivity, for digital video and audio in one cable
- Portability you need for presentations on the go carrying case included

## **Eco Features**

- · RoHS compliant
- Recyclable product<sup>6</sup>
- Epson America, Inc. is a SmartWay<sup>™</sup> Transport Partner<sup>7</sup>

#### Better Products for a Better Future™

For more information on Epson's environmental programs, go to www.epson.com/environment

#### IMPORTANT SAFETY INFORMATION ABOUT USAGE ENVIRONMENTS FOR MOUNTED PROJECTORS ▶

#### What's In The Box:

- PowerLite 1266 projector
- Power cable
- Computer cable (VGA)
- USB cable
- Soft carrying case
- · Projector remote control
- Batteries
- · User manual CD
- · Quick Setup Sheet

Specifications

## **Specifications Projector:**

#### Projection System:

Epson 3LCD, 3-chip technology

#### **Projection Method:**

Front / rear / ceiling mount

#### **Driving Method:**

Epson Poly-silicon TFT Active Matrix

#### **Pixel Number:**

1,024,000 dots (1280 x 800) x 3

#### Color Brightness - Color Light Output:

3600 lumens<sup>1</sup>

#### White Brightness - White Light Output:

3600 lumens<sup>1</sup>

#### Aspect Ratio:

16:10 native, supports 4:3 and 16:9

#### Resolution:

1280 x 800 (WXGA)

#### Resize:

800 x 600 (SVGA), 1024 x 768 (XGA),1152 x 864 (SXGA), 1280 x 960 (SXGA2), 1280 x 1024 (SXGA3), 1440 x 900 (WXGA+), 1400 x 1050 (SXGA+),1600 x 900 (WXGA++), 1600 x 1200 (UXGA), 1680 x 1050 (WSXGA+)

#### Lamp Type:

210 W UHE

#### Lamp Life:

- ECO mode: Up to 10000 hours<sup>2</sup>
- Normal mode: Up to 6000 hours<sup>8</sup>

#### Throw Ratio Range:

1.38 (Zoom:Wide), 1.68 (Zoom:Tele)

#### Size - projected distance:

30" - 300" (0.9 - 9.0 m)

#### **Keystone Correction:**

- Automatic: Vertical: ±30 degrees
- Manual: Horizontal: ±30 degrees (Easy-Slide Horizontal Image Correction)

#### USB Plug 'n Play:

- · Projects audio and video
- · PC and Mac® compatible

#### Contrast Ratio:

Up to 15,000:1

#### Color Reproduction:

Over 1.07 billion colors

#### General:

#### Temperature:

41° to 95° F (5° to 35° C)

#### Weight:

6.2 lb

#### Security:

Password Protect function

#### Wireless:

#### Mode:

Infrastructure, Access Point

#### Supported Speeds:

- IEEE 802.11b (2.4 GHz): 11 Mbps\*
- IEEE 802.11g (2.4 GHz): 54 Mbps\*
- IEEE 802.11n (2.4 GHz): 130 Mbps\*

\*Maximum speed and range is achievable when used with same enhanced mode technology. Actual data rates, features and performance may vary depending on your computer system, the environment and other factors.

#### Type:

802.11b/g/n (2.4 GHz) (DSSS/CCK, OFDM)

## **Projection Lens:**

#### Type:

Optical zoom (Manual) / Focus (Manual)

### F-number:

1.50 - 1.71

#### Focal Length:

20.42 - 24.50 mm

#### Zoom Ratio:

1.0 - 1.2

## **Projector Details:**

#### Display Performance:

- NTSC: 480 lines
- PAL: 576 line

(Depends on observation of the multi-burst pattern)

#### Input Signal:

NTSC / NTSC4.43 / PAL / M-PAL / N-PAL / PAL60 / SECAM

#### Interfaces:

- HDMI x 1 with MHL connectivity
- Computer/component video: D-sub 15 pin x 1
- Composite video: RCA (Yellow) x 1
- Audio in: RCA x 2 (1 White/1 Red)
- USB connector Type A x 1: PC-free USB & Other
- USB connector Type B x 1: USB Plug 'n Play

#### Speaker:

2 W (mono)

#### Fan Noise:

ECO mode: 28 dBNormal mode: 37 dB

## **Projector Dimensions:**

#### Including feet:

11.9" x 9.9" x 3.6" (W x D x H)

#### **Excluding feet:**

11.9" x 9.8" x 3.4" (W x D x H)

#### **Remote Control:**

#### Features:

Source search selection, power, volume, e-zoom, A/V Mute, freeze, menu, page up and down, help, auto, mouse functions

#### **Operating Distance:**

19.7 ft (6 m)

#### **Operating Angle:**

• Right / Left: ±30 degrees

• Upper / Lower: ±15 degrees

#### Power:

#### Power Supply Voltage:

100 - 240 V ±10%, 50/60 Hz

#### **Power Consumption:**

ECO mode: 228 WNormal mode: 315 W

© 2021 Epson America, Inc.