

PowerLite 982W 3LCD WXGA Classroom Projector with Dual HDMI

Contact Us 800.463.7766

Mon-Fri 7am-4pm PT



Create dazzling, widescreen displays with this premium classroom projector.

Bring powerful projection to your classroom with the advanced PowerLite 982W projector. The perfect addition to any learning environment, this ultra bright, 4,200-lumen¹ projector enhances lesson plans and promotes collaboration with vibrant, widescreen displays. Featuring an integrated Moderator function², the PowerLite 982W allows up to 50 users to connect and share content from laptops or mobile devices³. Designed with durability in mind, this premium projector provides a long lamp life up to 17,000 hours in ECO Mode⁴. Plus, with a 1.6 optical zoom, a 16 W speaker, a microphone input, and dual HDMI ports, creating dynamic, high-definition displays has never been easier.

- 4,200 lumens of color and white brightness¹
- Native WXGA resolution and 16:10 aspect ratio
- Long lamp life up to 17,000 hours in ECO Mode⁴
- 1.6x optical zoom for easy placement and installation
- Built-in Moderator function² for easy sharing
- **THROW DISTANCE AND DISPLAY SIZE CALCULATORS ►**

Model: V11H987020

OUR PRICE :

\$849.00



[Write a review](#)



Protect Your Product

Add a plan with your new product now.

1-Year Exchange - Extended Service Plan | \$99.00

[LEARN MORE ▶](#)

Show More Plans



Overview



3-chip 3LCD technology for Best-in-Class Color Brightness⁵
4,200 lumens of color and white brightness¹

Bright, widescreen images
with native WXGA resolution and a 16:10 aspect ratio

Low-priced, long-lasting lamp
up to 17,000 hours in ECO Mode⁴

1.6x optical zoom
expand your projector placement or installation flexibility; get sharp, clear images with no digital distortion

Moderator function²
allows up to 50 users to connect to the display simultaneously; perfect for displaying a variety of content or comparing students' work side-by-side

Advanced network connectivity
RJ-45 allows remote network projector management, presentations over the network, and more

- **Project from laptops and mobile devices** — wirelessly display from PC, Mac[®], Chromebook[™], iOS[®] and Android[™] devices³
- **Dual HDMI ports** — supports multiple high-definition AV devices
- **Built-in 16 W speaker and microphone input** — create dynamic and engaging projector displays
- **Screen size up to 280"** — with Split Screen⁶ capability for side-by-side viewing

Eco Features

- RoHS compliant
- Recyclable product⁷
- Epson America, Inc. is a SmartWay[™] Transport Partner⁸

Better Products for a Better Future™

For more information on Epson's environmental programs, go to www.epson.com/environment

IMPORTANT SAFETY INFORMATION ABOUT USAGE ENVIRONMENTS FOR MOUNTED PROJECTORS ►

What's In The Box:

- PowerLite 982W Projector
- Power cord
- Computer cable (VGA)
- Projector remote control
- Batteries
- Software CD
- Quick setup sheet
- Warranty card

Specifications ►

Specifications Projector:

Projection System:

3LCD, 3-chip technology

Projection Method:

Front / rear / ceiling mount

Driving Method:

Poly-silicon TFT Active Matrix

Pixel Number:

1,024,000 dots (1280 x 800) x 3

Color Brightness - Color Light Output:

4200 lumens¹

White Brightness - White Light Output:

4200 lumens¹

Aspect Ratio:

16:10

Resolution:

1280 x 800 (WXGA)

Resize:

640 x 480 (VGA), 800 x 600 (SVGA), 1280 x 960 (SXGA2), 1280 x 1024 (SXGA3), 1366 x 768 (WXGA60-3), 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1680 x 900 (WXGA++), 1600 x 1200 (UXGA60)

Lamp Type:

230 W UHE

Lamp Life:

- ECO mode: Up to 17,000 hours⁴
- Medium mode: Up to 10,000 hours⁴
- Normal mode: Up to 6,500 hours⁴

Throw Ratio Range:

1.38 (Zoom:Wide), 2.24 (Zoom:Tele)

Size - projected distance:

29" – 280" (0.85 – 8.4 m) (Zoom:Wide)

29" – 280" (1.40 – 13.71 m) (Zoom:Tele)

Keystone Correction:

- Vertical: ±30 degrees (Automatic)
- Horizontal: ±30 degrees (Slider)

USB Plug 'n Play:

Projector is compatible with PC and Mac® computers

Contrast Ratio:

Up to 16,000:1

Color Processing:

10 bit

Color Reproduction:

Up to 1.07 billion colors

General:

Temperature:

41° to 95° F (5° to 35° C)

Weight:

6.83 lb (3.1 kg)

Security:

- Kensington®-style lock provision
- Padlock
- Security anchor bar

Power:

Power Supply Voltage:

100 – 240VAC ±10%, 50 / 60Hz AC

Power Consumption:

- ECO mode: 235 W
- Normal mode: 354 W
- Communication on: 2.0 W Standby
- Communication off: 0.3 W Standby

Projection Lens:

Type:

Manual focus

F-number:

1.51 – 1.99

Focal Length:

18.2 – 29.2 mm

Zoom Ratio:

1.0 – 1.6

Remote Control:

Features:

A/V Mute, Freeze, Split, Aspect, Color Mode, Auto, MHL Menu, Volume

Operating Distance:

19.7' (6 m)

Operating Angle:

- Right / Left: ± 30 degrees
- Upper / Lower: ± 15 degrees

Projector Dimensions:

Including feet:

12.1" x 11.5" x 4.1" (W x D x H)

Excluding feet:

12.1" x 11.1" x 3.5" (W x D x H)

Projector Details:

Display Performance:

- NTSC: 480 lines
 - PAL: 576 lines
- (Depends on observation of the multi-burst pattern)

Input Signal:

NTSC / NTSC4.43 / PAL / M-PAL / N-PAL / PAL60 / SECAM

Interfaces:

- 1x USB-A
- 1x USB-B
- 1x LAN
- 2x HDMI
- 2x Computer/Component
- 1x Video
- 1x RS-232c
- 1x Stereo Mini-jack (Mic)
- 1x Monitor Out
- Audio 1 & 2
- Audio L & R
- 1x Audio Out
- Wireless LAN port: 802.11 b/g/n (optional – module sold separately)

Speaker:

16 W (mono)

Fan Noise:

- ECO mode: 28 dB
- Normal mode: 37 dB

Eco Features:

- RoHS compliant
 - Recyclable product⁷
 - Epson America, Inc. is a SmartWaySM Transport Partner⁸
-

© 2021 Epson America, Inc.